

MOSO[®] bamboo flooring





**bamboo:
the fastest growing
plant in the world**

from bamboo plant to product

stem to strip

After harvesting, the mature bamboo stems are split in longitudinal direction and the outer skin is removed. The strips naturally have a light yellow colour (natural), but can be steamed for a light brown colour (caramel).

strip to floor

After treating and drying, the strips are ready to be joined in several ways to make the final product:


Plain Pressed

Strips are placed horizontally and glued together to create a wide line pattern with the characteristic bamboo nodes clearly visible.



Flexible

Strips are bonded to a flexible latex backing. The latex backing makes it very comfortable to walk on and offers excellent sound absorption characteristics.




Side Pressed

Strips are placed vertically and glued together to create a narrow line pattern with the bamboo nodes visible in a subtle way.




High Density®

Strips are crushed, compressed and glued under high pressure, creating an elegant random grain pattern. The result is a floor that is even harder than the best tropical hardwood species.



Forest

The bamboo stem is flattened through a special process to create the toplayer of a solid bamboo board. The result is a very strong and hard floor with the unique, original look of the bamboo stem.



extra hard

In this brochure High Density® and Forest are indicated by a hammer.



ready for harvest after 5 years



MOSO® bamboo benefits

► www.moso.eu/benefits



CO₂ neutral

All solid MOSO® bamboo floors are officially assessed to be CO₂ neutral or better over the complete lifecycle.



healthy

As a product from nature, MOSO® bamboo floors are anti-static and anti-allergic, and thus facilitate a healthy indoor environment.



hard & durable

With a hardness and density similar to the best hardwood floors, MOSO® bamboo floors are suitable for use even in heavy duty applications.



warranted quality

MOSO bamboo® floors are of the highest quality and come with a product guarantee of up to 30 years.



endless resource

With a growing speed of up to 1 meter per day bamboo is the fastest growing plant on earth. Bamboo can be harvested without deforestation.



high stability

Because the flooring is composed of multiple individual strips, MOSO® bamboo flooring will shrink and swell less than solid wood species, providing a more stable floor.



vast choice

MOSO® bamboo floors are available in a large variety of configurations, styles and colours to cater to anyone's preferences.



natural beauty

Inspired by nature, MOSO® bamboo floors are not only a responsible choice but also a stylish one.

sustainable,
beautiful, hard
and durable flooring

MOSO® bamboo flooring

► www.moso.eu/bamboo-flooring

MOSO® offers dozens of different bamboo flooring options which are divided into collections. This enables MOSO® to offer a bamboo flooring solution for everyone: Long and wide boards in the **Grand Collection** for spacious, luxurious living areas; strong and robust floors to withstand tough conditions in the **Eternal Collection**; and easy to install, economically friendly floors in the **Dynamic Collection**. The **Bamboo X-treme®** Collection offers ecological, stable and durable flooring for exterior applications. With the **Bamboo UltraDensity®** Collection MOSO® created heavy duty flooring and stair panels which are the only natural alternatives to stone, ceramic, pvc or other industrial floors and stair panels!

MOSO®
Grand
Collection

bamboelite 12




bamboosolida 14



MOSO®
Eternal
Collection

bamboosupreme 18



bambooforest 20



**bamboo
industriale** 22



MOSO®
Dynamic
Collection

purebamboo 26



topbamboo 28



flexbamboo 30



MOSO®
Bamboo
Outdoor

bamboox-treme® 34



MOSO®
Bamboo
Unlimited

**bamboo
ultradensity®** 36



38

MOSO®
Floor-
selector

sustainability 40



about MOSO® 42



references 43





MOSO® Grand Collection


The Grand Collection was especially developed for customers who appreciate the aesthetics of **large boards** for a **spacious** and **exclusive** look. Thanks to the generous dimensions of the boards, the installation can be done relatively fast. The wide choice of colours and finishes in the Grand Collection offers a suitable bamboo flooring for any interior.

bamboelite

MOSO® Bamboo Elite is a 100% bamboo floor board which is relatively **long** and **wide**.

bamboosolida

MOSO® Bamboo Solida is a **large board** with a similar appearance to **solid wood**.





MOSO® bamboelite

Long and wide boards - 100% bamboo

The MOSO® Bamboo Elite flooring consists of long and wide boards, with a large choice of bamboo patterns, colours and finishes. Bamboo Elite consists of three layers of solid bamboo strips. Pressing the middle layer crosswise optimises the stability.

MOSO® Bamboo Elite is suitable for anyone who wants original, solid bamboo flooring and certainly for those who wish for a spacious, stylish decor. The large floorboards enrich the interior and are CO₂ neutral.

Plain Pressed Natural
lacquered or oiled




Plain Pressed Caramel
unfinished, lacquered or oiled



Side Pressed Natural
lacquered or oiled



Side Pressed Caramel
unfinished, lacquered or oiled




High Density* Natural
lacquered (extra matt) or oiled



High Density* Caramel
lacquered (extra matt) or oiled



High Density* Striped
oiled




Hard as stone, beautiful as wood

MOSO® Bamboo Solida has the appearance of large solid wood planks. Bamboo Solida consists entirely of bamboo strips compressed under very high pressure. This High Density® treatment makes the material extra hard. Various surface treatments with a roller or saw in combination with transparent or stained lacquer provide a real wood appearance.

MOSO® Bamboo Solida is the ideal flooring for anyone looking for the appearance of wood flooring, but preferring the benefits of bamboo: the material is much harder than oak and CO₂ neutral. Thanks to the click system, the installation is quick and easy.



High Density® Natural
unfinished or lacquered
Transparent



High Density® Caramel
unfinished or lacquered
Transparent



High Density® Caramel
Rough sawn lacquered
Marble White (02)



High Density® Caramel
Rough sawn lacquered
Topaz Brown (06)




High Density® Caramel
Wood look lacquered
Granite Grey (11)



High Density® Caramel
Wood look lacquered
Quartz White (12)



High Density® Caramel
Wood look lacquered
Onyx Beige (13)





MOSO® Eternal Collection

The Eternal Collection offers the **strongest** and most **robust** flooring in the MOSO® assortment. Especially for those looking for flooring that will last a **lifetime**, flooring from the Eternal Collection will be the best choice. These floors are so **strong** that they can be installed in the most demanding projects, such as **public buildings, offices** and **restaurants**, but are also suitable for residential applications.

bamboosupreme

Thanks to its **stability**, MOSO® Bamboo Supreme is perfectly suited to **high traffic areas**.

bambooforest

MOSO® Bamboo Forest is the most **authentic** bamboo floor imaginable.

bambooindustriale

MOSO® Bamboo Industriale consists of short, **solid** bamboo strips that provide a ladder pattern for a **distinctive** look.



Zoku Hotel Amsterdam
The Netherlands



Campus Hotel Hertenstein
Switzerland



Private Residence
The Netherlands

Bamboo Forest



MOSO® bamboosupreme

Perfect combination of durability and stability

MOSO® Bamboo Supreme offers a wide selection in bamboo patterns and colours. The boards are easy to handle and consist of two layers of bamboo: a 4 mm top layer on a sub layer made of cross pressed strips. The thick top layer ensures a long lifetime. With a total thickness of 10 mm the board is relatively thin compared to other wood flooring. This is an advantage in renovation projects, when the new flooring is installed on top of existing flooring. Thin material allows better heat-transfer than thicker boards and this makes Bamboo Supreme suitable for installation on underfloor heating.

MOSO® Bamboo Supreme is the right flooring when there are high requirements in durability, ecology (proved CO₂ neutral) and stability of the material. Thanks to its stability, Bamboo Supreme is perfectly suited to high traffic areas.

Plain Pressed Natural
lacquered or oiled



Plain Pressed Caramel
unfinished, lacquered or oiled



Side Pressed Natural
lacquered or oiled



Side Pressed Caramel
unfinished, lacquered or oiled




High Density® Natural
lacquered (extra matt) or oiled



shown on left page

High Density® Caramel
lacquered (extra matt) or oiled





Bringing the bamboo forest to your floor

MOSO® Bamboo Forest is the most authentic bamboo flooring imaginable. The round bamboo stem is flattened by a special process and used as a top layer in a solid three-layer bamboo floorboard. The surface of this robust floor consists of the tough outer skin of the bamboo stem.

As a unique, eye-catching floor with the natural beauty and appearance of the bamboo stem, MOSO® Bamboo Forest fits in natural and modern interiors. The top layer is so hard and wear-resistant that an oil or lacquer finish is not required. The flooring is CO₂ neutral and is extremely durable.



Forest waxed



MOSO® bambooindustriale

Striking industrial look and strength

MOSO® Bamboo Industriale consists of short, solid bamboo strips that provide a ladder pattern for a distinctive look. The bonded bamboo strips are glued onto the sub floor, sanded, filled and finished by the flooring installer. Because the bamboo flooring consists of small strips, it is very stable, making Bamboo Industriale perfectly suitable for installation on floor heating or in air-conditioned buildings.

MOSO® Bamboo Industriale is the right choice for those who have high requirements for the durability, ecology and stability of the material and want to see a unique pattern on the floor. Thanks to the thick toplayer (up to 15 mm), this flooring lasts for many generations and is CO₂ neutral.



Side Pressed Natural unfinished




Side Pressed Caramel unfinished



High Density* Natural unfinished



High Density* Caramel unfinished





MOSO® Dynamic Collection

The Dynamic Collection offers an **economical** choice for customers who want natural flooring that is **easy to install**. It does not mean that these floors are of a lesser quality or offer less choice. In fact, the Dynamic Collection provides the widest range of possibilities in colour, patterns, finishes, and dimensions, matching the latest trends.

purebamboo

MOSO® Purebamboo is **purely** made of bamboo. This original good **quality** product is **economically** interesting.



Side Pressed Caramel

topbamboo

MOSO® Topbamboo is the **easy to install** flooring with a top layer of bamboo and a click system.



High Density® Natural

flexbamboo

MOSO® Flexbamboo is made by bonding thin bamboo strips to a **flexible** latex backing.



Plain Pressed Caramel



MOSO® purebamboo

Economical flooring purely made of bamboo

MOSO® Purebamboo consists of compact solid bamboo boards with a wide choice of bamboo patterns and colours. Purebamboo is made of strips pressed together horizontally (Plain Pressed), vertically (Side Pressed) or compressed together (High Density®). Purebamboo Plain Pressed is the first industrially manufactured bamboo flooring ever developed and introduced by MOSO® on the market; all other bamboo flooring types originate from this product.

MOSO® Purebamboo is the right choice for anyone who wants original, simple, but good quality bamboo flooring. With the different patterns and colours, the flooring matches every interior and contributes to the improvement of the ecological footprint.

Plain Pressed Natural
lacquered



Plain Pressed Caramel
lacquered



Side Pressed Natural
lacquered




Side Pressed Caramel
unfinished or lacquered



High Density® Natural
lacquered



High Density® Caramel
lacquered



Plenty of choice in easy to install flooring

MOSO® Topbamboo is an easy to install flooring with a wide choice of colours, patterns and finishes. Topbamboo consists of a bamboo top layer pressed on an HDF core with a soft wood sub layer. Thanks to this construction, the floorboards are very stable.

MOSO® Topbamboo is suitable for anyone who wants affordable bamboo flooring that can be installed quickly. With the variety of colours and textures, including brushed versions, the flooring suits many interiors. The flooring is easy to install thanks to the click system and the convenient size boards.

Side Pressed Caramel
lacquered or oiled



Side Pressed Caramel
brushed
lacquered or oiled



Side Pressed Caramel
brushed
lacquered **White** (L02)



Side Pressed Caramel
brushed
lacquered **Colonial** (L06)



High Density* Natural
lacquered




High Density* Caramel
lacquered



High Density* Caramel
brushed
lacquered



High Density* Caramel
brushed
lacquered **White** (L02)




High Density* Caramel
lacquered
Antique White (L02)



High Density* Caramel
lacquered
Antique Grey (L08)



shown on right page



MOSO® flexbamboo

MOSO® dynamic collection

► www.moso.eu/flexbamboo



Bamboo rolled into your room


MOSO® Flexbamboo is a floor covering with a thin top layer made of bamboo strips which are bonded onto a latex backing. The flooring comes in rolls and has to be fully glued to the subfloor.

MOSO® Flexbamboo is a unique flooring that offers extra walking comfort, continuous lines of bamboo strips and excellent sound insulating properties. The natural colour fits to any interior. Flexbamboo is also available without latex backing and can be used as a wall covering in this form.



Plain Pressed Caramel
unfinished (21)





MOSO®

Bamboo Outdoor


With the Bamboo X-treme® Collection, MOSO® has developed a truly **ecological** and **durable** alternative to increasingly scarce tropical hardwood for outdoor applications. MOSO® uses a unique process to alter the **hardness**, **dimensional stability** and **durability** to a level superior to the best tropical hardwood species.

bamboox-treme®

With MOSO® Bamboo X-treme® you can create a **beautiful deck** made of natural-grown bamboo, for your **terrace**, **balcony**, **swimming pool area** or other **outdoor spaces**.



Villa Mollans-sur-Ouvèze
France



Apartment Meier On Rothschild
Tel Aviv, Israel



Roof Garden De Boel
Amsterdam, The Netherlands

The next generation in decking

MOSO® Bamboo X-treme® is made of bamboo strips that are heat-treated and compressed under high pressure, using the patented Thermo-Density® process. This process makes Bamboo X-treme® extremely durable* and hard. Thanks to the symmetrical shape of the side profile, each board offers the choice between a flat and reeded surface. The product can be installed quickly and easily with the matching fasteners, without the need to screw through the board.


For anyone who appreciates a tough, sustainable, high-quality product, with proven environmental benefits, MOSO® Bamboo X-treme® is the logical choice. When exposed to outdoor conditions Bamboo X-treme®, like all hardwood decking, will turn grey over time, giving it a beautiful, natural look (see photo right).



**Thermo Density®
Flat**
unfinished or oiled



**Thermo Density®
Reeded**
unfinished or oiled



* Biological durability:
Class 1
(EN 350 / CEN/TS 15083-2),
simulated graveyard test
Class 1
(EN 350 / CEN/TS 15083-1),
Effectiveness against Blue
Stain: Class 0 (EN 152)
and Use Class:
Class 4 (EN 335)



📷 Daniele Kaehr



The solution for heavy duty natural flooring

MOSO® Bamboo UltraDensity® is a solid bamboo flooring board made from compressed bamboo strips with an Ultra-High Density®. Thanks to its unique production method the material is extremely stable, hard and durable and therefore suitable for the toughest conditions: in very high traffic areas and even in semi-outdoor areas (protected from direct rain or sunshine).

The boards are supplied unfinished and have to be finished on site. The boards come with tongue and groove and a bevel on all 4 sides.



Café Karément
Belgium
Design: Concreet Architecten
Photography: Lior Teitler



Railway Station Paris - Gare du Nord
France
Design: AREP
Photography: David Ducastel

MOSO® floorselector

Indicator	Important to know	grand collection		eternal collection
		bamboelite	bamboosolida	bamboosupreme
Floor heating / floor cooling*	Thinner = better, because less shrink/swell. Also denser = better (so HD version) because it transmits the heat better. Floor should always be glued fully on subfloor. For cooling: anti condensation device should be installed.	<input checked="" type="radio"/> Long boards can bend a bit and therefore not easy to glue down. <input type="radio"/> Micro bevel can hide seams.	<input checked="" type="radio"/> Long boards can bend a bit and therefore not easy to glue down. <input type="radio"/> advantage: micro bevel can hide seams.	<input checked="" type="radio"/> 10 mm thickness: the thinnest = the best stability. <input type="radio"/>
Wet rooms, such as a bathroom /Spa	Bamboo is a very stable material but if water gets between the floor boards, into the material, it will lead to problems. Advice: use unfinished versions and lacquer on site to close the surface. Fully glueing to subfloor is necessary.	<input checked="" type="radio"/> Advice: choose unfinished and finish at site. <input type="radio"/>	<input type="radio"/> Not advised because no unfinished version available. <input type="radio"/>	<input checked="" type="radio"/> Advice: use unfinished version and finish at site. 10 mm: thinnest = the best. <input type="radio"/>
Floating installation (= not glued to subfloor) vs. fully glued installation	Bamboo has a good stability but will shrink/swell with changing humidity. Always allow a 10 mm expansion gap around the floor. With a bigger expansion gap, the (floating) surface can be bigger.	<input checked="" type="radio"/> Can be installed floating: max width x length room: 6x12 m. <input type="radio"/>	<input checked="" type="radio"/> Can be installed floating: max width x length room: 8x12 m. <input type="radio"/>	<input type="radio"/> Has to be fully glued to subfloor always. <input type="radio"/>
Big surface (>85 m²) installed without gaps between different areas	Bamboo has a good stability but will shrink/swell with changing humidity. For big floors full glueing to subfloor is advised. Subfloor must be dry/clean/flat!	<input checked="" type="radio"/> Long boards can bend a bit and therefore not easy to glue down. <input type="radio"/>	<input checked="" type="radio"/> Long boards can bend a bit and therefore not easy to glue down. Lacquer on backside limits which glue can be used. <input type="radio"/>	<input checked="" type="radio"/> 10 mm gives best stability. <input type="radio"/>
Commercial use / High traffic areas	In (heavy) commercial use it is important to have a combination of a very hard toplayer and a very strong finish. Fully glueing to subfloor is advised.	<input checked="" type="radio"/> HD version advised, factory finish not for heavy use. <input type="radio"/>	<input checked="" type="radio"/> Factory finish not for heavy use, not easy glueing (click). <input type="radio"/>	<input checked="" type="radio"/> High Density* version advised, factory finish = BONA 125 gr/m2 = advised for heavy traffic. <input type="radio"/>
Simple and low-cost installation	Depending on the type of installation, the costs for installation partly define the costs of the floor.	<input checked="" type="radio"/> Must be glued in tongue and groove or fully glued to the subfloor. <input type="radio"/>	<input checked="" type="radio"/> Relatively low installation costs thanks to the click system. <input type="radio"/>	<input type="radio"/> Must be fully glued to the subfloor. <input type="radio"/>
ECO certification (LEED, FSC®, BREEAM, CO2 neutral**)	Bamboo is an eco-friendly material, but within the MOSO range there are various 'grades' of eco, depending on the applied materials. All types are available (on request) with FSC® certificate.	<input checked="" type="radio"/> Solely bamboo. <input type="radio"/>	<input checked="" type="radio"/> Solely bamboo. <input type="radio"/>	<input checked="" type="radio"/> Solely bamboo. <input type="radio"/>
Choice in looks	Bamboo has a very typical look, showing the nodes of the bamboo stem. However by applying different surface treatments, like lacquering, oiling, brushing, staining, many different looks are created.	<input checked="" type="radio"/> Natural, Caramel, Side Pressed, Plain Pressed, High Density*, unfinished, lacquered available. <input type="radio"/>	<input checked="" type="radio"/> 2 natural bamboo colours, 5 lacquered colours with woodgrain or sawcut look. <input type="radio"/>	<input checked="" type="radio"/> Natural, Caramel, Side Pressed, Plain Pressed, High Density*, unfinished, oiled, lacquered available. <input type="radio"/>
Similarity to solid wood flooring planks	Bamboo flooring planks can have a similar solid look and feel to wood flooring planks, but with a very typical surface, showing the nodes of the bamboo stem. In the HD versions the bamboo fibers look like wood grains.	<input checked="" type="radio"/> High Density* version available. <input type="radio"/>	<input checked="" type="radio"/> 2 natural bamboo colours, 5 lacquered colours with woodgrain or sawcut look. <input type="radio"/>	<input checked="" type="radio"/> High Density* version available. <input type="radio"/>

dynamic collection					bamboo ultradensity*
bambooforest	bambooindustriale	purebamboo	topbamboo	flexbamboo	ultradensity*
<input checked="" type="radio"/> Micro bevel hides small seams which can occur using floor heating. <input type="radio"/>	<input checked="" type="radio"/> Especially 10 mm version. <input type="radio"/>	<input checked="" type="radio"/> Micro bevel (prefinished version) hides small seams which can occur using floor heating. <input type="radio"/>	<input checked="" type="radio"/> Not easy glueing to subfloor because of click system. <input type="radio"/>	<input type="radio"/> Not possible because latex backing can not stand heat. <input type="radio"/>	<input checked="" type="radio"/> Long boards are more difficult to glue down. Thickness limits heat transmission. <input type="radio"/>
<input type="radio"/> Not advised because big bevels easily absorb water. <input type="radio"/>	<input checked="" type="radio"/> Especially 10 mm version. <input type="radio"/>	<input checked="" type="radio"/> Advice: choose unfinished and finish at site. <input type="radio"/>	<input checked="" type="radio"/> Not easy glueing to subfloor because of click system. <input type="radio"/>	<input type="radio"/> Not advised because open surface, easy to absorb water. <input type="radio"/>	<input checked="" type="radio"/> Due to stability very suitable. However bevel can easily absorb water. <input type="radio"/>
<input checked="" type="radio"/> Can be installed floating: max width x length room: 6x12 m. <input type="radio"/>	<input type="radio"/> Has to be fully glued to subfloor always. <input type="radio"/>	<input checked="" type="radio"/> Can be installed floating: max width x length room: 5x12 m. <input type="radio"/>	<input checked="" type="radio"/> Can be installed floating: max width x length room: 7x12 m. <input type="radio"/>	<input type="radio"/> Has to be fully glued to subfloor always. Check the Flexbamboo glue advice (www.moso.eu). <input type="radio"/>	<input checked="" type="radio"/> It is advisable to fully glue the floor or install on top of joists (UD versions>20 mm). <input type="radio"/>
<input type="radio"/>	<input checked="" type="radio"/> Made of small/thin bamboo strips, so very stable. <input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/> Not easy glueing to subfloor because of click system. <input type="radio"/>	<input checked="" type="radio"/> Check the Flexbamboo glue advice (www.moso.eu)! <input type="radio"/>	<input checked="" type="radio"/> Due to high stability very suitable. <input type="radio"/>
<input checked="" type="radio"/> Toplayer very hard. No finish required. <input type="radio"/>	<input checked="" type="radio"/> High Density* version advised, apply a strong project coating. <input type="radio"/>	<input checked="" type="radio"/> High Density* version advised / factory finish not for heavy use. <input type="radio"/>	<input checked="" type="radio"/> High Density* version advised / factory finish not for heavy use, not easy glueing (click). <input type="radio"/>	<input type="radio"/> Not advised because open surface, factory finish not for heavy use. <input type="radio"/>	<input checked="" type="radio"/> Very hard so very suitable for heavy traffic. Thanks to high stability also usable in semi-outdoor circumstances. <input type="radio"/>
<input checked="" type="radio"/> Must be glued in tongue and groove or fully glued to the subfloor. <input type="radio"/>	<input type="radio"/> Must be fully glued to the subfloor. <input type="radio"/>	<input checked="" type="radio"/> Must be glued in tongue and groove or fully glued to the subfloor. <input type="radio"/>	<input checked="" type="radio"/> Easy to install thanks to the click system. <input type="radio"/>	<input checked="" type="radio"/> Relatively easy to glue down. <input type="radio"/>	<input checked="" type="radio"/> It is advisable to fully glue the floor or install on top of joists (UD versions>20 mm). <input type="radio"/>
<input checked="" type="radio"/> 100% bamboo, made with formaldehyde free glue. <input type="radio"/>	<input checked="" type="radio"/> 100% bamboo, no glue applied in the product (except for High Density* versions). <input type="radio"/>	<input checked="" type="radio"/> Solely bamboo. <input type="radio"/>	<input checked="" type="radio"/> Because of HDF core not fully green. <input type="radio"/>	<input checked="" type="radio"/> Because of latex backing not fully green. <input type="radio"/>	<input checked="" type="radio"/> 100% bamboo. <input type="radio"/>
<input type="radio"/> 1 version available. <input type="radio"/>	<input checked="" type="radio"/> Natural, Caramel, Side Pressed, High Density*, unfinished available. <input type="radio"/>	<input checked="" type="radio"/> Natural, Caramel, Side Pressed, Plain Pressed, High Density*, unfinished, lacquered available. <input type="radio"/>	<input checked="" type="radio"/> Natural, Caramel, Side Pressed, High Density*, brushed, stained available. <input type="radio"/>	<input checked="" type="radio"/> Large choice in colors. <input type="radio"/>	<input checked="" type="radio"/> 1 version available. <input type="radio"/>
<input type="radio"/> No High Density* version available, very different look. <input type="radio"/>	<input checked="" type="radio"/> High Density* version available. <input type="radio"/>	<input checked="" type="radio"/> High Density* version available. <input type="radio"/>	<input checked="" type="radio"/> High Density* version available, however not solid (full bamboo). <input type="radio"/>	<input type="radio"/> No High Density* version available. <input type="radio"/>	<input checked="" type="radio"/> Only available in High Density* version, which is most similar to a wood look. <input type="radio"/>

advised / fully applicable
 possible / applicable
 limited possible / limited applicable
 not possible / not advised / not applicable



MOSO® bamboo flooring: a sustainable choice!

MOSO® Bamboo Flooring offers clear sustainability advantages in each phase and is even proven CO₂ neutral over the full life cycle! To determine the eco-impact of a floor, every phase of the life cycle should be taken into account.

growth phase

- ✓ Made from the extremely rapidly renewable giant bamboo species "Moso", renowned for its CO₂ absorbing and O₂ producing capacity.
- ✓ Abundantly available in China (approx. 7 mill ha) and always sourced from sustainably managed forests and plantations.
- ✓ The Moso bamboo plant consists of multiple stems. As a result, several stems may be harvested each year without killing the mother plant.
- ✓ **Optional:** MOSO® Bamboo FSC®-certified (most important ecolabel for sustainable wood sourcing).



growth phase

production phase

- ✓ All MOSO® Bamboo Floors are made in production facilities that are ISO 9001 and ISO 14001 (important quality standards) certified.
- ✓ **Optional:** use of eco-friendly adhesive with no added formaldehyde, complying with the strictest emissions norm: E0 (EU requisite = E1).



production phase



use phase

end of life phase

- ✓ As a non toxic, natural material, MOSO® Bamboo Floors offer no restrictions in the end-of-life phase.
- ✓ If maintained well, MOSO® Bamboo Flooring may be reused in similar applications (upcycling). If this is not possible, MOSO® Flooring may be safely used as input material for the chipboard industry (downcycling).
- ✓ If up- or downcycling is not possible, it is recommended to use the bamboo material as sustainable substitute for fossil fuels in a biomass energy plant for the production of green energy.

use phase

- ✓ Durable = Sustainable: because of the high hardness, density and stability, MOSO® Bamboo Flooring lasts very long (less replacement) even in tough circumstances.
- ✓ Proven Quality: all MOSO® Bamboo Flooring products are CE marked and guaranteed up to 30 years.
- ✓ Healthy indoor climate: very low emissions of volatile organic compounds (VOCs). MOSO® floors have been rated A and A+ in France with respect to VOC emissions: the best classification possible!
- ✓ Extra credits for sustainable building eco-labels, such as BREEAM and LEED.




▶ www.moso.eu/durable



carbon footprint

MOSO® Bamboo Flooring: CO₂ neutral or better over full life cycle - Life-cycle Assessment (ISO 14040/44) and carbon footprint studies executed by Delft University of Technology have confirmed that all assessed MOSO products (all solid bamboo flooring, decking, beams, panels and veneer) are CO₂ neutral or better over the full life cycle. To download the report and the Environmental Product Declaration (EN 15804) available for MOSO® Bamboo Products go to: www.moso.eu/lca.




in CO₂ eq/kg

* result depending on MOSO floor assessed

unsurpassed growing speed

Bamboo: the fastest growing plant in the world - Because of the fast growth, Moso bamboo is managed as an agricultural crop: the annual harvest of the 5 year old stems - compared to 80 years for tropical hardwood! - provides a steady annual income to farmers and stimulates the bamboo plant to reproduce even faster. Therefore, in contrast to tropical hardwood, there is no deforestation taking place for production of MOSO® Bamboo Flooring. Moso bamboo is a true rapidly renewable resource.






about MOSO®

MOSO International was founded in the Netherlands in 1997. Since then, MOSO® has evolved to become the unchallenged **European market leader** in the development of innovative and sustainable bamboo products for interior and exterior applications.

There is no other company worldwide with an equally - and still expanding - **broad assortment** in **high quality** bamboo products. MOSO's head office, with the **biggest bamboo warehouse** in Europe, is located near Amsterdam. Furthermore, MOSO® has offices in Barcelona, Milan, Cape Town, Pennsauken (USA), Dubai and Hangzhou (China). MOSO® works with several partner companies and leading distributors worldwide to **guarantee the availability** of MOSO® products in each region.

Besides the MOSO® Bamboo Flooring and MOSO® Outdoor product groups, MOSO® offers a very broad assortment of **Bamboo Panels, Veneer** and **Beams** in many sizes, thicknesses, colours and textures. These products are used worldwide in many applications including wall covering, ceilings, window frames, doors, stairs, furniture and kitchens, providing an ideal combination with the MOSO® flooring assortment.

Furthermore, because of its expertise, MOSO® is able to develop **unique, customised bamboo solutions** for industrial clients, meeting exceptionally stringent requirements. Through its experience, innovative attitude and world-wide network, MOSO® is recognised as the **global A-brand** in bamboo products. The proof is the impressive list of references and clients such as Madrid Airport, BMW, AkzoNobel, Texaco, Guggenheim Museum, Rabobank, United Nations (FAO), Iberostar and CitizenM Hotels. For an overview of our references and clients please visit our website: www.moso.eu/references.



MOSO® bamboo references

Hotel Jakarta

The Netherlands




Madrid International Airport

Spain



Ushuaia Hotel Ibiza

Spain



CityLife Shopping District

Italy



Grande Arche de la Défense

France



Guggenheim Museum

Spain



Südwestmetall Head Office

Germany



BMW Solar Carport

South Africa




Town Hall Bloemendaal

The Netherlands



Jumbo Head Office

The Netherlands



Lounge by Lexus at Brussels Airport

Belgium



MOSO® world leading in bamboo
www.moso.eu/references



Headquarters:

Moso International B.V.

Adam Smithweg 2
1689 ZW Zwaag
The Netherlands
T +31 (0)229 265 732
info@moso.eu

North America:

Moso North America Inc.

203 NE Front Street, Suite 101
Milford, DE 19963
United States of America
T: +1 855 343 8444
info@moso-bamboo.com

Gulf Cooperation Council
(GCC) Countries:

Moso Middle East LLC

202 Al Mansour Bldg.
Damascus Road, Al Qusais
P.O. Box: 384421, Dubai
United Arab Emirates
T: +971 4 258 9337
contact@moso.ae

www.moso.eu

Spain, France, Portugal, North Africa,
Latin America and Middle East:

Moso Europe S.L.U.

C/ Pau Claris, 83 - Principal 2ª
08010 Barcelona
Spain
T +34 (0)93 574 9610
contact@moso.eu

Sub-Saharan Africa:

Moso Africa Pty. Ltd.

7 Glosderry Road Kenilworth
7708 Cape Town
South Africa
T +27 2167 11214
contact@moso-bamboo.co.za

Italy:

Moso Italia S.R.L

Via Antonio Locatelli 86
20853 Biassono (MB)
Italy
T +39 (0)39 900 5440
mosoitalia@moso.eu



**bamboo
products**